

Sent: Wednesday, October 01, 2008 6:36 PM

Subject: FORUM Q & A UPDATE: TRUE OR FALSE -- WATER SOFTENERS PUT WAY TOO MUCH SALT INTO THE ENVIRONMENT//// WQA WINS-DEFEATS CALIFORNIA SOFTENER BAN

Dear Aquathin Dealer OnLine;

[WQA WINS-DEFEATS CALIF. SOFTENER BAN.pdf](#)

Great News! Governor Schwarzenegger vetoes softener ban in California (see attached)...and for all the right reasons, as we emailed in an earlier Forum Q&A below.

I LOVE MY AQUATHIN ! AND REMEMBER, THE NEXT BEST THING TO OWNING AN AQUATHIN IS RECOMMENDING ONE TO A FRIEND !!

Let me know what you AquathinK !

Warmest regards to all...as well, your comments are always welcome and very much appreciated.

**FOR THE BEST TASTE IN LIFE &
28 Years Pure Excellence
...and another Quarter Century re-inventing the water industry !
Think Aquathin...AquathinK !
(visit the all new www.aquathin.com)**

**** AN ISO9001:2000 QMS REGISTERED / CERTIFIED COMPANY - (IMS 0192) **
& 2008 PRESIDENT'S E STAR AWARD RECIPIENT (visit www.aquathin.com/estar2008.pps)**

"Alfie"
Alfred J. Lipshultz, President

P.S. "Splash NewsBulletins", "Forum Q & A", "Allergic Reaction", Biz Bank, Tech Bank and Quote Bank... ARE ALL FREE services to all Authorized Aquathin Dealers and their clients to keep you abreast of technology updates and industry news.

From: AQUATHIN TECH SUPPORT [mailto:techsupport@aquathin.com]
Sent: Wednesday, December 29, 2004 2:49 PM
To: info@Aquathin.Com
Subject: FORUM Q & A: TRUE OR FALSE -- WATER SOFTENERS PUT WAY TOO MUCH SALT INTO THE ENVIRONMENT

Dear Aquathin Dealer OnLine;

As many of you know, a few cities in the U.S. have banned water softeners for fear of the negative effects from ever increasing sodium during regeneration processes. Several bans have been overturned. It has been my opinion all along that the WQA actually caused the issue because the WQA had never formally taken a stance against the use of "timed" heads with pumped up salt settings, that were pushed by water treatment dealers wanting to sell a lot of salt...a grand disservice to the Customer by Aquathin standards.

*Today's article and supportive EPA Paper below state that although facts are in the favour of the water industry, the story remains somewhat inconclusive. **The EPA Paper is a powerful tool you now have to show any city council who is considering softener review or any Customer concerned about softener effluent.***

aaaaaaaand, it is important to note that with hundreds of years of salting icy streets in Chicago, NYC, and the like, neither the TDS nor sodium levels in the Great Lakes, Hudson River, etc., have risen....and that's a heckofalot more salt and slug loading than their local population of softeners could ever put out.

Warmest regards to all...as well, your comments are always welcome and very much appreciated.

FOR THE BEST TASTE IN LIFE &
25 Years Pure Excellence
Think Aquathin...AquathinK !!
(visit the allnew www.aquathin.com)

"Alfie"
Alfred J. Lipshultz, President

P.S. "Splash NewsBulletins", "Forum Q & A", "Allergic Reaction", Biz Bank, Tech Bank and Quote Bank... ARE ALL FREE services to all Authorized Aquathin Dealers and their clients to keep you abreast of technology updates and industry news.

Industry Outlook - 12/29/2004 12:35:38 PM

EPA: Home water softener impact 'often inconclusive'

WASHINGTON — Home water softeners can periodically generate backwash high in sodium and affect wastewater treatment processes, however, attempts to predict whether impacts will occur and to estimate their severity are difficult and often inconclusive, according to a US Environmental Protection Agency (EPA) [fact sheet](#).

As posted by the [Water Quality Association](#) (WQA) yesterday, the EPA's fact sheet explicitly states that studies are in the water industry's favor, and it is recommended that water professionals use the fact sheet as a reference during inspections.

Specifically, studies noted in the EPA fact sheet conclude the following:

- High concentrations of calcium and manganese in the softener backwash water have no deleterious effect on the biological functions occurring in the septic tank and may, in some cases, be helpful;
- The additional volume of wastewater generated (typically about 50 gallons per recharge cycle) is added slowly to the wastewater stream and does not cause any hydraulic overload problems; and
- Soil structure in the soil absorption field is positively affected by the calcium and magnesium ions in water softener effluent.

Regarding the last conclusion, the influent, with its high concentration of sodium ions, is very different than the effluent, which has a high concentration of calcium and magnesium ions, the EPA reported.

According to the fact sheet, the potential for chemical clogging of clayey soil by sodium ions is reduced. The calcium and magnesium input may even help improve soil percolation.

U.S. Environmental Protection Agency



National Risk Management Research Laboratory

[Contact Us](#) | [Print Version](#) Search: [] [GO](#)

[EPA Home](#) > [Research & Development](#) > [National Risk Management Research Laboratory](#) > EPA 625/R-00/008

EPA 625/R-00/008

Onsite Wastewater Treatment Systems Special Issues Fact Sheet 3

Water Softeners

Description

Home water softeners, which periodically generate a backwash that is high in sodium, magnesium, and calcium concentrations, can affect wastewater treatment processes and the composition and structure of the infiltration field biomat and the underlying soil. However, attempts to predict whether impacts will occur and to estimate their severity are difficult and often inconclusive.

Water softeners remove "hardness" (dissolved calcium and magnesium) through ion exchange processes. Incoming hard water passes through a tank of containing high-capacity ion exchange resin beads supersaturated with sodium. The calcium and magnesium ions in the water attach to the resin beads, replacing the sodium, which is released into the water. The softened water is then distributed for use throughout the house.

Over time, the ion exchange resin beads become saturated with calcium and magnesium ions. When this occurs, the tank must be recharged by flushing with a salt brine solution. Sodium ions reclaim their position on the resin beads, and the calcium and magnesium ions are released into the backwash water. The backwash water then exits the tank and is discharged to the wastewater treatment system. The number of times the tank is recharged and the amount of wastewater generated depends on a number of factors, including the hardness of the water, the amount of water used, the size of the water softener, and the capacity of the resins to remove calcium and magnesium.

The wastewater generated during the recharge phase of the water softening process mixes with other household wastewaters, enters the septic tank, and eventually moves to the soil adsorption field. Studies conducted by soil scientists at the University of Wisconsin and the National Sanitation Foundation conclude that the wastewater effluent generated from properly operating and maintained water softeners will not harm onsite systems that are designed, operated, and maintained appropriately. Specifically, the studies conclude the following:

- High concentrations of calcium and manganese in the softener backwash water have no deleterious effect on the biological functions occurring in the septic tank and may, in some cases, be helpful.
- The additional volume of wastewater generated (typically about 50 gallons per recharge cycle) is added slowly to the wastewater stream and does not cause any hydraulic overload problems.
- Soil structure in the soil absorption field is positively affected by the calcium and magnesium ions in water softener effluent (Corey et al., 1977).

Regarding the last conclusion, some people have the misconception that the salt brine that enters the ion exchange tank also exits the tank as wastewater. In fact, the influent with its high concentration of sodium ions is very different than the effluent, which has a high concentration of calcium and magnesium ions. Consequently, the potential for chemical clogging of clayey soil by sodium ions is reduced. The calcium and magnesium input may even help improve soil percolation.

Risk management issues

The human health impacts of ingesting softened water are increasingly discussed in addition to the traditional benefits of reduced use of surfactants and plumbing repair requirements. The choice of the homeowner to soften or not to soften will factor into all arguments. Also, the preceding descriptions are predicated on whole-house-supply softening. Today point-of-use devices designed for use with specific features in the house make the traditional advantages and disadvantages less clear.

References

Andress, S., and C. Jordan. 1998. *Onsite Sewage Systems*. Virginia Polytechnic Institute and State University, Civil Engineering Department, Blacksburg, VA.

Corey, R.B., E.S. Tyler, and M.U. Olotu. 1997. Effects of Water Softner Use on the Permeability of Septic Tank Seepage Fields. In *Proceedings of Second National Home Sewage Treatment Symposium*. Pub. no. 5-77. American Society of Agricultural Engineers, St. Joseph, MI.

Mancl, K.M. 1998. *Septic Tank Maintenance*. Ohio State University Extension publication AEX-740-98. Ohio State University, Food, Agricultural and Biological Engineering. Columbus, OH.

University of Wisconsin. 1978. *Management of Small Waste Flows*. EPA-600/2-78-173. U.S. Environmental Protection Agency, Cincinnati, OH.

U.S. Environmental Protection Agency (USEPA). 1992. *Manual: Wastewater Treatment/Disposal for Small Communities*. EPA 625/R-92/005. U.S. Environmental Protection Agency, Cincinnati, OH.

[Office of Research & Development](#) | [National Risk Management Research Laboratory](#)

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)